

PRODUCT	ISO ASH%	ISO VOLATILES (%)	CALORIFIC VALUE (MJ/Kg)	TOTAL SULPHUR (%)	PHOSPHORUS IN COAL (%)	TOTAL CARBON (%)	HYDROGEN (%)	NITROGEN (%)	AFT (REDUCING) DEFORMATION (°C)	AFT (REDUCING) SOFTENING (°C)	AFT (REDUCING) HEMISPHERE (°C)	AFT (REDUCING) FLOW (°C)
ARM035	27.31	16.24	23.83	1.94	0.040	60.72	2.98	1.66	1350	1386	1440	1470
ARM036	13.18	10.03	29.70	2.23	0.091	-	-	-	-	-	-	-
ARM037	-	-	-	4.74	-	-	-	-	-	-	-	-
ARM038	15.05	23.53	28.06	0.76	0.079	-	-	-	-	-	-	-
ARM039	14.65	17.89	30.24	1.67	0.040	-	-	-	-	-	-	-
ARM040	10.39	35.37	29.24	1.13	0.009	71.84	4.63	1.41	-	-	-	-
ARM041	29.41	18.41	22.50	1.65	0.043	58.79	2.99	1.50	1293	1325	1380	1435
ARM042	40.69	21.43	16.44	0.82	0.061	44.17	2.43	1.03	-	-	-	-
ARM043	14.67	23.78	28.17	0.55	0.100	71.45	3.74	1.64	-	-	-	-
ARM044	27.97	20.30	22.71	1.29	0.049	58.14	3.04	1.38	-	-	-	-
ARM045	10.57	27.22	29.08	0.60	0.036	72.95	4.01	1.81	-	-	-	-
ARM046	16.57	19.73	28.81	1.49	0.039	72.24	3.69	1.89	1340	1407	1442	1460
ARM047	23.49	21.72	24.09	0.91	0.093	61.95	3.06	1.45	-	-	-	-
ARM048	4.97	2.33	32.30	0.24	0.018	91.34	1.31	0.91	-	-	-	-
ARM049	25.14	17.65	24.19	0.98	0.059	62.91	2.84	1.33	-	-	-	-
ARM050	13.08	26.82	27.77	0.45	0.126	71.44	3.89	1.76	-	-	-	-
ARM051	30.80	21.85	21.36	1.12	0.073	55.65	2.91	1.32	1355	1384	1426	1470
ARM052	23.87	23.09	24.27	0.90	0.030	-	-	-	-	-	-	-

PRODUCT	ISO ASH%	ISO VOLATILES (%)	CALORIFIC VALUE (MJ/Kg)	TOTAL SULPHUR (%)	PHOSPHORUS IN COAL (%)	TOTAL CARBON (%)	HYDROGEN (%)	NITROGEN (%)	AFT (REDUCING) DEFORMATION (°C)	AFT (REDUCING) SOFTENING (°C)	AFT (REDUCING) HEMISPHERE (°C)	AFT (REDUCING) FLOW (°C)
ARM053	14.33	27.40	27.58	0.46	0.138	70.04	4.08	1.70	-	-	-	-
ARM054	22.87	25.25	24.90	0.95	0.035	63.34	3.53	1.47	-	-	-	-
ARM055	18.94	23.96	25.56	0.55	0.099	66.43	3.57	1.58	-	-	-	-
ARM056	33.56	19.23	20.39	1.00	0.047	53.61	2.98	1.22	-	-	-	-
ARM057	30.27	19.26	22.18	1.65	-	-	-	-	-	-	-	-

PRODUCT	ASTM ASH%	ASTM VOLATILES (%)	Chlorine
ARM039	14.65	18.57	-
ARM042	40.90	21.75	-
ARM043	14.71	24.29	-
ARM046	16.65	20.44	-
ARM048	5.03	2.94	-
ARM050	13.00	27.74	-
ARM051	30.91	22.28	-
ARM053	14.38	-	-

Accredited Benzoic acid, traceable to NIST

**Available in 1g and 0.5g weights
100 pills per bottle.**

CONTACT DETAILS

Mail: ravi@coalconcepts.co.za

Phone: +27 35 751 2446 Mobile: +27 83 6500 151

Unit 10, 81 Ceramic Curve , Richards Bay, KZN , South Africa